

## 2.2.1 Using the Form Template

The form template is a .xls spreadsheet (compatible with most modern spreadsheet programs: Microsoft Word, Open Office, Numbers, etc.) that can be used to create form definitions in OpenClinica. It is best practice to download the latest form template from OpenClinica (see steps below). The form template can also be found here: [form\\_template](#). *Note: Form creation is usually easiest using the drag-and-drop Form Designer, but sometimes it is helpful to use the Form Template for forms with more form logic or specific features. See [Using Form Designer](#) for information on Form Designer.*

As a general rule, the more complicated the form, and its logic, the more likely you'll have to use Form Template. While Form Designer accommodates skip logic (on relevant fields) and validation criteria (constraints), it does not support features such as cascading selects, hard edit checks, etc.

### Definitions

- **Original Form Template:** The blank spreadsheet file downloaded from OpenClinica.
- **Form Template:** A pre-formatted spreadsheet downloaded from OpenClinica. This could be blank for a new form, or a form you download to edit or copy an existing form that would already rows filled in.
- **Form Definition File:** A completed spreadsheet uploaded, or ready to load, into OpenClinica.

**Good Advice:** *Keep in mind that loading times for end-users are affected by the number of items on the form and the amount of form logic you use, OpenClinica recommends having no more than **100-200** items on a form and no more than **50** items on a Participate form, specifically when it is likely to be accessed from a mobile device.*

### The XLS Spreadsheet Contains Five Sheets:


1. **Settings**
2. **Choices**
3. **Survey**
4. **Cross-Checking Examples**
5. **Other Examples**

The first three are the primary pages (Settings, Choices, and Survey sheets) you will utilize.

### Quick-Start Guide

#### To Download the Form Template:

Click the **Download Form Template** button in the header bar of **Study Designer**.



## To Create the Form:

1. Open the downloaded template.
2. Enter a name for the form in the **form\_title** column.
3. Create a unique form id in the column **form\_id** that will be used to identify your form internally (i.e., will not be visible to end-users).

## To Add an Item to the Form:

1. Click the **survey** tab to move to the survey spreadsheet.
2. Enter the type of item you want in the **type** column (For example, text, integer, date, etc.).
3. Enter the item text in the **label** column.
4. Enter a **unique** alphanumeric string for the item in the **name** column.
5. Enter text into the **label** column that will be displayed on the form as the question text.

If your item type is **select\_one** or **select\_multiple**, you must enter choices.

## To Enter Choices for Select One or Select Multiple items:

1. Click the **choices** tab in the Form Template spreadsheet.
2. Enter the text for the option in the **label** column.
3. Enter a unique alphanumeric string for the option in the **name** column. **Do not include commas, spaces, or other non-alphanumeric characters in the choice name.**
4. Enter the unique id you entered for the question on the **Survey** tab (in the **name** column) to link options in the **list\_name** column.
5. Continue to add options as needed (by repeating steps 2-4).
6. Click the **survey** tab in the Form Template spreadsheet.
7. In the **type** column next to **select\_one** or **select\_multiple**, enter the **list name** from the **choices** sheet (For example, if the **list name** is **YN**, the **type** cell contents would be **select\_one YN**)

**Important:** The spacing and underscores in **select\_one [listname]** and **select\_multiple [listname]** need to be exact.

## To Create a Group of Items:

1. Click the **survey** tab in the form template.

2. Enter **begin group** in the **type** column at the top of all the items you want to put into a group.
3. Enter **end group** in the **type** column at the bottom of all of the items you want to put into a group.
4. In the **bind::oc:itemgroup** column, across from **begin group** and **end group**, enter an internal name for the group of items.

**Note:** If you want to make a repeating group, instead of **begin group** and **end group**, enter **begin repeat** and **end repeat**. **Best Practice:** In the **bind::oc:itemgroup** column, you are using repeating groups, which must be kept separate, it is ideal to keep items in the same group. These groups do not have to correspond to the begin/end groups. Keeping items in the same group allows for better data visualization in Insight because participant data is displayed on tables by item group, not by form.

## To Upload a Form Template in Study Designer:

1. Click the name of the Form in Study Designer.
2. Click the **Upload** button.
3. Select the Form Template/Form Definition File you want to upload for that given form.
4. Click the **open** button in the dialogue box.

**Note:** You can download a blank copy of the form template from within study designer (as shown above), or you can download a Form Definition File for several existing forms in the [Form Library \(CDASH\)](#) and modify it to suit your needs. For helpful hints in completing the form template, hover your mouse over a column heading to read how its used, and be sure to read the last two worksheets (**Cross-Checking Examples** and **Other Examples**) for documentation on creating edit checks and other advanced template features.

## Form Template Exclusive Features

### Annotated CRFs

Annotated CRFs are useful for statisticians because they specify where in the system the data was taken from. For example, an annotated CRF might specify the dataset where the data exists. Annotated CRFs are also a requirement for FDA data submissions and CDISC Standards.

### Cascading Selects

Cascading Selects (or Choice Filters) are a way of organizing hierarchical questions and filtering possible choices based on the prior selection. For Example, You Could Use Cascading Selects for the Following Set of Questions:

- Type of Cancer
- Subtype of Cancer
- Specific Cancer

When a participant responds to Type of Cancer, the choices listed for Subtype of Cancer are filtered based on that response. The responses for Specific Cancer will then be filtered by the Subtype of Cancer response. Responses for select\_one and select\_multiple questions can be filtered based on values of any items on the form.

### To Add a Cascading Select:

1. On the **choices** sheet, create columns for each filter you will use. For example, **filter1** and **filter2**.

2. Enter a value in a filter column to assign the choice in that row to a specific filter group. For example, **filter1** might have 4 filter groups that contain different sets of choices. Use the numbers **1** through **4** to assign each choice to a distinct filter group.
3. On the **survey** sheet, add a **choice\_filter** column.
4. In the **choice\_filter** column, enter an expression for an item that must be true for a choice for that item in order to show that choice. Filter values are referred to by the title of the filter column. For example, **filter1 = \${cascade1}** would show a choice only if the value for that choice in column **filter1** were equal to the value of item **cascade1**. If item **cascade1** were 1, only choices with **filter1** = 1 would be displayed on the form.

## Crossform References

Crossform References optimize loading forms by specifying the events or forms that the system needs to reference for cross-checks. Instead of the system loading all of a participant's information, it only loads the information necessary for the cross-check. Add the necessary OIDs in the **crossform\_references** column of the **settings** sheet. See "Crossform References" below.

## Referencing Long Lists

The **choices** worksheet of the form template restricts the combination of labels and names to a maximum of 4,000 characters. If you have a long list of choices to reference in a form, you can maintain that list in a separate CSV file where the number of characters is not restricted. **Best Practice:** *OpenClinica recommends that any items that reference long lists are defined with **minimal autocomplete** in the **appearance** column. In the form, this filters list choices in the dropdown list as you type.* E.g. instead of uploading a normal Form Definition File with a medications list, the medications were entered into a separate spreadsheet and saved as a CSV file named **medication\_list.csv**. This file has more than **14,000** rows of entries.

1	type	name	label	appearance
2	select_one YN	Conmedyn	Were there any concomitant m	
3	select_one_from_file medication_list.csv	Medication	Medication:	minimal autocomplete
4	text	Dose	Total Daily Dose	
5	text	Units	Units:	
6	text	Reason	Reason:	
7	date	sdate	Start Date:	
8	date	edate	End Date:	
9	select_one Y	continuing	Continuing?	

**Note:** *To reflect any changes in the list of choices made in the .csv file, you must upload it again. If this occurs on a study that has been published to the **Production** environment, you must also update the version of the form on the **settings** page of the Form Definition File.*

## Repeat Count

If you enter **begin repeat** and **end repeat** in the **type** column, you can use the **repeat\_count** column to specify the number of times the group of questions can be answered. If you specify the number of repeats available to the user, they cannot add or remove any of the repeating groups.

### To Add a Repeat Count:

1. Click the **survey** tab in the form template.
2. Add a **repeat\_count** column.

3. In the **repeat\_count** column, across from **begin\_repeat** and **end\_repeat**, enter the number of repeats to allow.

## Select\_One From File


You can upload a CSV file with the Form Template for items that have a long list of choices that you can create with various external spreadsheet programs (consult the program's documentation for assistance with this step).

### To Reference the CSV File in the Form Template:

In the form template, on the **survey** sheet, enter **select\_one\_from\_file filename.csv** in the **type** column. For example, if the name of the CSV file is *painlocation*, enter **select\_one\_from\_file painlocation.csv**.

### To Upload a Form Template with a CSV File:


In Study Designer, upload the Form Template and the CSV file at the same time by selecting both files (PC: ctrl+click; Mac: cmd+click) and clicking **open**.



## Languages and Translations

You can add multiple languages to your form by adding language columns to your XLS spreadsheet. If you want French to be your default language, change the title in the label column to **label::French (fr)**. Then, in the **default\_language** column on the Settings tab, enter **French (fr)**. You can define several other languages by adding columns in the **choices** and/or **survey** sheet, each

with the title **label::language**.



You can define languages for items, including the following: **Survey Sheet:**

- label
- hint
- constraint\_message
- required\_message
- image (file name)
- audio (file name)
- video (file name)

**Choices Sheet:**

- label
- image (file name)

**Settings Sheet:**

- default\_language

Enter translated text for every field you want to be translated; otherwise, that field will only use the default language. **Note:** *The only text-based item you cannot define language(s) for is the **Form Title**.*

type	name	label::French (fr)	label::English (en)	label::German (de)	hint::French (fr)	hint::English (en)	hint::German (de)
select_multiple cb	wh_y	Le poids et la taille ont-ils été mesurés ?	Were weight & height measured?	Wurden Gewicht und Größe gemessen?	Cochez la case si oui	Check the box if Yes	Aktivieren Sie das Kontrollkästchen, wenn Ja
select_one whunits	wh_units	Unités de poids et de taille:	Weight & Height Units:	Gewichts- und Höheneinheiten:	Veillez choisir des unités pour le poids et la taille	Please choose units for Weight and Height	Bitte wählen Sie Einheiten für Gewicht und Größe
decimal	weight	Poids:	Weight:	Gewicht			

If no default language is defined on the form and the user's web browser language setting is a valid option for the form, the form initially loads using the user's browser language selection. If there are additional languages for the form, they will be available to change between in the dropdown menu as needed.

The image displays two screenshots of the OpenClinica 'Vital Signs' form, illustrating the system-level language packs. Both screenshots show a form titled 'Vital Signs' with a question about whether weight and height were measured. The top screenshot is in French, with the question 'Le poids et la taille ont-ils été mesurés ?' and the response option 'Oui'. The bottom screenshot is in English, with the question 'Were weight & height measured?' and the response option 'Yes'. Both forms feature a 'Validate' button and navigation links for 'Return to Beginning' and 'Go to End'. A language dropdown menu in the top right corner of each form is highlighted with an orange box, showing 'French' for the top form and 'English' for the bottom form. A printer icon is also visible in the top right corner of each form.

It is best practice to always have a default language defined, even though it is not specifically required.

### System-Level Language Packs:

The Study Runner interface (outside of your eCRFs) can also be displayed in multiple languages that have already been professionally translated. To have OpenClinica enable a language pack for your study, please reach out to your Customer Success Manager, or contact support. The form's user interface (buttons and text set by OpenClinica rather than configured on the form template) will only display in supported languages. Other languages will only display the text that was configured on the form template for that language and will otherwise display the user interface in English (en). For example, when using French (fr) as a language on the Form Template, the user interface remains in English (Validate, Return to Beginning, Go to End, etc.).



Choose Language: French

### Vital Signs

Le poids et la taille ont-ils été mesurés ?  
Cochez la case si oui

☐ Oui

✓ Validate

Return to Beginning Go to End

When a system-level language pack is installed for your study, the language presented to your users is based on their web-browser's settings.

Sprache auswählen: German

### Vital Signs

Wurden Gewicht und Größe gemessen?  
Aktivieren Sie das Kontrollkästchen, wenn Ja

☐ Ja

✓ Prüfen

Zurück zum Anfang Ans Ende gehen

#### Limitations with Study Runner Translations (set at the Study level by OpenClinica):

- Areas of Study Runner that display an [Item Label](#) or [Brief Description](#) (including custom columns in the Participant Matrix, Queries Table, and PDP common events tables, Data Review Table columns, and Item-Level SDV rows) will always display the Item Label or Brief Description only in the default language, regardless of the language a user is utilizing in a multi-language study.
- Areas of Study Runner that display single select or multi-select item values as choice labels (same component list as the above bullet plus the Audit Log) will always display the choice labels in the same language regardless of the user's browser's language settings.

#### Image Maps

OpenClinica also has a feature that allows you to upload vector graphics (SVG images) and select areas in the image that correspond to responses to a query. Instead of selecting from a drop-down list, you can select an area in the image. For example, instead of looking through a list of potential pain locations to find the correct one, users can select the location on a picture of the human body.

#### To Set Up Image Links in an SVG File:

1. Open the spreadsheet for your form.



2. On the **Survey** tab, add a row with the following values in the specified columns:
  1. **Type:** Enter **select\_one listname**, for example, **select\_one armregion**
  2. **Appearance:** Enter **image-map**.
  3. **Image:** Enter the name of the SVG file you are using as your image map, for example, **armregions.svg**
3. In the **Choices** tab, add rows with the following values in the specified columns:
  1. **List\_name:** Enter a name for your list of codes in each cell for the number of regions in your image.
  2. **Label:** Enter labels for each region you want to be able to select. These are the labels you see when you hover over a region in the image.
  3. **Name:** Enter an ID for each label. These are the path IDs you will use in Step 4.

list_name	name	label
armregion	path4	Supra clavicular
armregion	path6	Supra clavicular
armregion	path8	Palmar digital
armregion	path10	Axillary sup. lat. cut.
armregion	path12	Radial, dors. antebrachial
armregion	path14	Lateral antebrachial cut.
armregion	path16	Medial antebrachial cut.
armregion	path18	Medial brachial cut.
armregion	path20	Intercosto brachial
armregion	path22	Radial, superficial
armregion	path28	Palmar digital
armregion	path52	Axillary sup. lat. cut.
armregion	path56	Intercosto brachial
armregion	path58	Medial brachial cut.
armregion	path60	Posterior antebrachial cu
armregion	path62	Lateral antebrachial cut.
armregion	path64	Medial antebrachial cut.
armregion	path66	Dorsal digital
armregion	path68	Palmer digital
armregion	path70	Palmer digital
armregion	path72	Palmer digital
armregion	path74	Palmer digital
armregion	path78	Dorsal digital

1. Open the SVG file in a text editor. Next to **<path**, for each region, enter a path id you chose in step 3c, for example, **id=path10** When you have added an id for each path,


save the file.

```
</g>
<path id="path10" style="fill:#A8503C;" d="M351.984,62.395c-19-5.38-39.307-3.631-57.161,4.804c0,0-264.251,123.514-281.986
c-7.706,3.26-13.064,10.984-12.829,19.93c0.301,11.472,10.046,20.453,21.523,20.453h437.251c8.949,0,16.197,7.255,16.197
v38.231c0,8.949-7.255,16.204-16.204,16.204H21.018C9.41,309.238,0,318.648,0,330.256l0,0c0,11.608,9.41,21.018,21.018,2
h437.757c8.949,0,16.204,7.255,16.204,16.204v38.231c0,8.949-7.255,16.204-16.204,16.204H21.018C9.41,421.913,0,431.323,
10,0c0,11.608,9.41,21.018,21.018,21.018h460.011c17.105,0,30.971-13.866,30.971-30.971V238.6
C512,122.674,406.495,77.829,351.984,62.395z"/>
```

1. In OpenClinica, click **+Add a form** on the event to which you want to add the image.
2. Enter a name for the form.
3. Select the form card, and click **Upload**.
4. Select BOTH the XLS file AND the SVG file at the same time, and click **Open**.
5. Once the image has loaded, click **Preview**. Hover over regions to view labels or click on a region to select it.

### Arm Image Map Example

Select the area of injury



### Form Template Fields with No Form Designer Equivalent

Due to the nature of a form template, some fields will only exist in one or the other. Here are all the form template fields that don't exist inside the form designer and any special instructions.

#### Namespace

The value in this field should remain as it is. If you inadvertently delete the value, it should be as follows (the quotes and spaces are required):

- oc="http://openclinica.org/xforms"

- OpenClinica="http://openclinica.com/odm"

	A	B	C	D	E	F	G
1	form_title	form_id	version	style	crossform_references	namespaces	Hover here to Read Me
2						oc="http://openclinica.org/xforms", OpenClinica="http://openclinica.com/odm"	
3							
4							
5							
6							
7							
8							

## Crossform References

As noted earlier you can use this column to decrease the form's loading time by specifying a list of events to be used in the form's cross-form logic. If the form does not use cross-form logic, then this column should be left blank in which case this column will have no effect. If the form uses cross-form logic, and this is left blank, then all data for a given participant will be available for the form to access. This will ensure that any logic will be able to pull in the desired values, but it will add to the time it takes to open the form. To improve form performance, you can include a comma-separated list of Event OIDs. Only data from these events will be accessible to the form's cross-form logic. This can improve form loading times significantly. You must, however, ensure that all events referenced in the cross-form logic are listed here or the desired values will not be pulled in as expected. You can also include "current\_event" in the list. That will allow the form to access data from the event occurrence it is in. This is useful for forms that are used in multiple events. It allows the form to access data that is relevant based on its event context when it is opened. **Example:** If you want to allow your form to access data from Baseline event (OID "SE\_BASELINE"), Visit 2 event (OID "SE\_VISIT2"), and the current event occurrence ("current\_event"), you would put the following value in this cell: **SE\_BASELINE,SE\_VISIT2,current\_event**

	A	B	C	D	E	F	G
1	form_title	form_id	version	style	crossform_references	namespaces	Hover here to Read Me
2						oc="http://openclinica.org/xforms", OpenClinica="http://openclinica.com/odm"	
3							
4							
5							
6							
7							
8							

**Note:** If you enter an invalid value in this cell, it will act as if you hadn't entered a value, thus all data for the current participant will be available for the form to access. This will ensure that the logic works as expected, but performance will not be optimized.

## Required Message

If the item is required, you can include a message that explains why the answer is needed. This can include a helpful hint to the data entry user as to why the item is required such as noting that an item is a primary data point, or that an item is required due to a prior response. If this field is left blank on a required item, the default message, **This field is required**, will be used.

	A	B	C	J	K	L	M	U
1	type	name	label	required	bind::oc::required-type	required_message	constraint	bind::oc::external
2	select_one				strict			
3								
4								
5								
6								
7								
8								

## Required Type

This field determines whether a data entry user can override a required field and save the form as-is. To prevent this you must add a column to the survey sheet with the heading **bind::oc::required-type** and type **strict** on the field for that item. If left blank or not included, the user can override the requirement. For more information refer to the [form logic section](#) under "Hard Edit Checks".

	A	B	C	J	K	L	M	U
1	type	name	label	required	bind::oc::required-type	required_message	constraint	bind::oc::external
2	select_one				strict			
3								
4								
5								
6								
7								
8								

## Image (Choices)

Allows you to display an image in your form. You must upload the valid image file (e.g., files with an extension of .png or .jpg) at the same time that you upload the Form Definition File or you can add it to a draft using the **Upload Media & External Lists** option. For example, Wong-Baker face images for pain scale choices.

## Choice Filter

An expression for using filters for cascading selects (i.e. items are filtered based on responses to other items) see the section on Cascading Selects for more information.

	A	B	C	D	E
1	list_name	label	name	image	Use this worksheet to define any code list your form (e.g., 1=Yes, 2=No)
2					
3					
4					
5					
6					
7					
8					

## List Name

The name of your code list. The same name is used for each value combination of a list (alphanumeric characters and underscores are permitted; no spaces). If you have a yes/no codelist and name it **YN**, there would be two rows referencing the same list\_name:

list_name	label	name
YN	Yes	1
YN	No	2

### Repeat Count

When added to a **begin\_repeat** type, this allows you to specify an exact number of repeats available to users. If used, the option to add or remove entries is not available.

	A	B	C	D	E	R	S	T
1	type	name	label	bind::oc:itemgroup	hint	image	repeat_count	bind::oc:external
2	begin repeat						3	
3	select_one	quest_choice	What is your quest?		Watch Monty Python.			
4	end repeat							
5								
6								
7								
8								

### Constraint Type

Determines whether a data entry user can override the constraint. To prevent this you must add a column to the survey sheet with the heading **bind::oc::constraint-type** and type **strict** on the field for that item. If left blank or not included, the user can override the requirement.

	A	B	C	K	L	M	N	O	U
1	type	name	label	required_message	constraint	bind::oc::constraint-type	constraint_message	default	bind::oc:external
2	select_one					strict			
3									
4									
5									
6									
7									
8									

### Form Template and Form Designer Fields

[table id=49 /]

Approved for publication by Paul Bowen. Signed on 2023-04-28 1:11AM

Not valid unless obtained from the OpenClinica document management system on the day of use.